APG Epoxy Resin Clamping Machine For Medium Voltage Instrume With APG Moulds Double Station

Basic Information

Place of Origin: China
Brand Name: JC
Certification: SGS CE,UL
Model Number: YU9088



Product Specification

Clamp Force: 22t
Transport Package: Wooden
Production Capacity: 60000PCS/Year
Clamp Plate Size: 1000X1000MM
Min Max Clamp Plate Strok: 250X1650mm

Upper &lower Core Puller 900X400mm
Stroke:

• Highlight: apg machine

Apg Epoxy Resin Clamping Machine For Medium Voltage Instrument Transformer

Epoxy Resin Clamping Machine For Medium



More Images











Product Description

Double-Station APG Clamping Machine with APG Moulds for Electrical Insulation

· Application-Standard APG clamping machine:

This series belongs to Standared APG clamping machine, the min clamp plate size is 600X800mm, and the Max clamp plate size is: 1200X1000mm, can meet production requirement from 11-36KV, such as current transformer, voltage transformer, insulator, bushing, spout, SFG gas-insulated indoor switch disconnector. Etc.

The upper and lower core distance can be customized, foundation pit is necessary if lower core travel distance above 500mm.

· Main Machine Technical Parameters:

| 型号 Model No. | HAPG-860 | HAPG-880 | HAPG-1000 | HAPG-1210 |
|----------------------------|--------------|---------------|---------------|---------------|
| 模板尺寸 | | | | |
| clamp plate size | 600X800mm | 800X800mm | 1000X1000mm | 1200X1000mm |
| 合模力 | | | | |
| clamp force | 18T | 18T | 21T | 21T |
| 最小最大合模距离 | | | | |
| Min/Max clamp plate stroke | 240X1250mm | 240X1250mm | 240X1450mm | 240X1450mm |
| 上下抽芯行程Upper&lower | | | | |
| core puller stroke | 760X350mm | 760X350mm | 760X450mm | 760X450mm |
| 加热功率 | | | | |
| Heating power | 12KW | 16KW | 24KW | 24KW |
| 液压站功率 | | | | |
| hydraulic station power | 5.5KW | 5.5KW | 5.5KW | 5.5KW |
| 倾斜角度 | | | | * |
| Horizontal tilting angle | 0-5° | 0-5° | 0-5° | 0-5° |
| 装模重量 | | | | |
| mould load weight | 2T | 2T | 3T | 3T |
| 整机重量 | | | | |
| Machine weight | 4500KG | 4800KG | 5300KG | 5700KG |
| 整体尺寸 | | | | |
| Machine dimension | 3.1X1.3X2.5m | 3.1X 1.3X2.5m | 3.4X1.15X2.8m | 3.4X1.15X2.8m |

Product Description

APG Machine = Automatic pressure gel equipment
APG machine with Epoxy Resin for Electric Insulation of 38KV Outdoor Transformer CT and PT.

Ithasbeen nineteen ye arsold and hasbeen developing into DMC after continuous development. S hydraulic press, epoxy resin pressure gel forming machine, full automatic Epoxy Static system and metal extrusion hydraulic press and other equipment, and can design and manufacture various kinds of special equipment according to the needs of high-voltage electrical appliances users.

Servo HAPG Clamping Machine

This machine is full automatic, Servo and Pic touch screen control Machine, the clamp plate size n customized, greatly improved efficiency and product quality Advantages

- 1. Servo motor control
- 2. PLC touch screen control
- 3. Can save more than 100product datas
- 4. Fully automatic design

Auto start machine heating clamp plate Auto setting hydraulic pressure Auto setting heating temperature Auto setting valve flow



APG FACTORY



APG Claming Machine Production Process:



APG MACHINE SAFETY SHIPPING



Offer debugging and APG technique training overseas

Products made by APG Machine:

Products made by APG machine:



