

Grade M5 CRGO Silicon Steel Coil CRGO CRNGO

Basic Information

Place of Origin: ChinaBrand Name: JC

Certification: SGS CE,UL

Model Number: M5 Minimum Order Quantity: 1

• Price: consult

Packaging Details: Standard export package for ocean

transportation

• Delivery Time: 5 days

• Payment Terms: L/C, T/T, Western Union, MoneyGram

Supply Ability: 200Ton/week



Product Specification

Length: 100-3000mm
Thickness: 0.18mm-0.35mm
Grade: M1, M2, M3, M4
Package: Carton, Pallet, Etc.
Width: 50mm-1250mm
Type: Oriented Silicon Steel
Standard: GB, AISI, ASTM, DIN, JIS

• Technique: Cold Rolled

• Shape: Coil

• Transport Package: Standard Export Package For Ocean

Transportation

• Trademark: Baosteel; WISCO; Nippon Steel; JE; AK

Coating Weight: 20-50g/m2
 Inner Diameter: 508mm/610mm
 Material: CRGO&CRNGO



More Images







Product Description

Wuhan Wisco Grade M5 CRGO Silicon Steel Coil **Basic Info.**

Model NO.	M5
Origin	China
Production Capacity	5000mt/Month

Trademark	Wuhan WISCO
HS Code	72251100













PRODUCT DETAILS

Major Manufacturer	BAOSTEEL, WISCO, Nippon Steel, JFE, AK					
Grade	CRGO: 20ZDKH75, B20P075, B20P070, B18R070 B23G110, B23G100, B23P100, B23R095, B23R090, 23ZH90,23QG090, B23R080 27Q120, 27QG100, 27QG095, B27P120, B27P100, B27P095 30Q130, 30Q120, 30QG105; B30G130, B30G120, B30P120, B30P105 35Q155, B35G155, 35Z155					
	CRNGO: B35A270, B35A250, B35A230, B35A300, 35WW270,35WW250,35WW230 B50A800, B50A600, B50A470, B50A400, B50A310, B50A290, B50A250, B50A1300, B50A1000					
Nominal thickness	0.18mm, 0.20mm, 0.23mm,0.27mm,0.30mm,0.35mm, 0.5mm					
Coil ID	508mm					
Weight	2MT~8MT					
Standard	EN 10106,IEC 60404-8-4,ASTM,DIN,GB,JIS					
Form	Cold Rolled Strip					
Delivery Lead Time	7~15 days after T/T prepayment or L/C date					
Packing	Standard export package for ocean transportation					
Application	All kinds of transformer, reactor, filter, inverter					

Specification of CRGO silicon steel products

Туре	G r a d e		Availab le width range(mm)	Densi ty (kg/d m³)	P _{17/50} Max.Cor e Loss(W/kg)	B ₈ Min. Ind ucti on(T)
	B 2 3 G 1 1	0.23			1.10	1.80
Common Type	B 2 7 G 1 2	0.27			1.20	1.80
	B 3 0 G 1 2	0.30			1.20	1.80
	B 3 0 G 1 3 0				1.30	1.80
	B 3 0 G 1 4 0				1.40	1.80
	B 3 5 G 1 3 5				1.35	1.80

	B 3 5 G 1 4 5 B 3 5 G 1 5 5	0.35				1.45	1.80
	B 2 3 P 0 9 0			0.90	1.87		
	P 0 9 5	0 9 5 B 2 3 P 1 0 0 0 B 2 7 P 0 0 9 5 B 2 7 P 1 0 0 0 B 2 7 P 1 0 0 0 B 2 7 P 1 0 0 0 B 2 7 P 1 1 0 0 0 B 2 7 P 1 1 0 0 0 B 2 7 P 1 1 0 0 0 B 2 7 P 1 1 0 0 0 B 2 7 P 1 1 1 0 0 0 B 2 7 P 1 1 1 0 0 0 B 2 7 P 1 1 1 0 0 0 B 2 7 P 1 1 1 0 0 0 B 2 7 P 1 1 1 0 0 0 B 2 7 P 1 1 1 1 0 0 0 B 2 7 P 1 1 1 1 1 0 0 B 2 7 P 1 1 1 1 1 0 0 B 2 7 P 1 1 1 1 1 0 0 B 2 7 P 1 1 1 1 1 0 0 B 2 7 P 1 1 1 1 1 0 B 2 7 P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	700- 1200	5 0 8	7.65	0.95	1.87
	2 3 P 1 0					1.00	1.87
	2 7 P 0 9 5					0.95	1.88
High Induction Type	P 1 0 0 B					1.00	1.88
	7 P 1 1 0 B					1.10	1.88
	3 0 P 1 0 0	3 0 P 1 0 0 B 3 0 P 1				1.00	1.88
	3 0 P 1 0 5 B					1.05	1.88
	B 3 0 P 1 1 0 P					1.10	1.88

	3 0 P 1 2	1.20	1.88
	B 3 5 P 1 3 5	1.35	1.88
	B 3 5 P 1 5	1.55	1.88
Domain Refined High Induction Type ()	B 2 3 R 0 8 0	0.80	1.87
	B 2 3 R 0.23 0 8 5	0.85	1.87
	B 2 3 R 0 9	0.90	1.87
	B 2 7 R 0 9 0	0.90	1.87
	B 2 7 R 0 9 5	0.95	1.87
NOTE:			
Detecting Basis		norka at may magnetic is	nduotion
1.7T and freque	ncy 50H	e per kg at max.magnetic ir	iduction

PACKING

field intensity

Wuhan Wisco Grade M5 CRGO Silicon Steel Coil

Company advantage

Quality is guaranteed. First, the raw materials come from many well-known domestic and foreign enterprises, such as Baosteel, WISCO, Nippon Steel. We have the most excellent materials. Secondly, our company has a perfect quality assurance system, which guarantees that you can get the best products from purchase to delivery.

Price concessions. Our company's product price is in the middle level of the industry, and is famous for its high cost performance. There is still a lot of room for price. We look forward to your demand. We will give you a most suitable quotation. Delivery on time and stable cooperation. Jiachen has had five years of trade experience since its establishment in 2014. Good service is a constant requirement and has always done so. You can rest assured of our promptness of delivery and the flexibility of expanding supply.

Service is trustworthy. We have been a high-quality supplier of made-in-china network, has been committed to foreign trade, foreign trade capacity has been audited by made-in-china network. s. We sincerely and warmly welcome you to visit and give advice to improve our shortcomings, learn new technologies, improve product performance, and mutual benefit.



Wuxi Jiachen Power Electronics Equipment Co., Ltd.





tangliang@jc-cores.com



jc-transformer.com

No. 68, Zhounan Road, Wanshi Town, Yixing City, Jiangsu Province, China