



3 Three Phase Transformer Core Wound Core For Distribution 2500kVA

Our Product Introduction

for more products please visit us on jc-transformer.com

Basic Information

- Place of Origin: China
- Brand Name: JC
- Certification: SGS CE, UL
- Model Number: 2500kva
- Minimum Order Quantity: 200kg
- Price: consult
- Packaging Details: Export standard packaging
- Delivery Time: 5 days
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 500mt/Month



Product Specification

- Application: Power, Electronic
- Phase: Single
- Core: Shell-type Transformer
- Cooling Method: Oil-immersed Type Transformer
- Winding Type: Multi-winding Transformer
- Certification: ISO9001-2000, ISO9001
- Bus Speed: 8 GT/s
- Cache: 16 MB Intel Smart Cache
- Graphics: Intel UHD Graphics 630
- Graphics Max Dynamic Frequency: 1.2 GHz
- Graphics Video Max Memory: 64 GB
- Max Memory Size: 128 GB
- Max Turbo Frequency: 5.1 GHz
- Memory Type: DDR4-2400



More Images



Product Description

2500kVA Three Phase Wound Core for Distribution Transformer

Basic Info.

Model NO.	2500kva
Usage	Single-phase Transformer, Rectifier Transformer, Combined Transformer, Power Transformer, Distribution Transformer
Frequency Characteristics	Power Frequency
Shape of Core	Wound Cores
Brand	Gausstop
Transport Package	Standard Export Package for Ocean

Product Description

Introduction:

Our wound cores are widely used in distribution transformers, especially for S13 type energy-saving transformers in China; we could also provide our customers with single phase wound cores like D9, D10, D11 etc., three phase wound cores; The capacity range from 10KVA to 2500KVA; Due to its particular technology craft, its performance is better than traditional stacked cores, especially for pole-mounted single phase transformers.

Manufacturing requirements:

	Transportation	Tolerance: See demonstrated graphic; the specified requirements should be coincide with customers drawings; Material: we could choose Nippon steel, Baosteel, WISCO and other steel plants products to meet customers core loss requirements; in order to make sure we choose the right material, we would like our customers to provide us with detailed
Specification	2500kva	
Origin	China	
HS Code	8504901900	
Production Capacity	300mt/Month	

drawings including necessary technical parameters.

Detailed ordering instructions below:

- 1, All sizes in the pictures?
- 2, Frequency (50Hz or 60Hz)?
- 3, Low voltage;
- 4, Turns (@ low voltage)
- 5, Max. No-load core losses?

Introduction:

Our Uni-cores are widely used in distribution transformers, especially for S13 type energy-saving transformers in China; we could also provide our customers with single phase wound cores like D9, D10, D11 etc., three phase Uni-cores; The capacity range from 10KVA to 25000KVA; Due to its particular technology craft, its performance is better than traditional stacked cores, especially for pole-mounted single phase transformers and 3 Dimensional transformers(3D transformers).

Manufacturing requirements:

Tolerance: See demonstrated graphic; the specified requirements should be coincide with customers drawings;
Material: we could choose Nippon steel, Baosteel, WISCO and other steel plants products to meet customers core loss requirements; in order to make sure we choose the right material, we would like our customers to provide us with detailed drawings including necessary technical parameters.

Detailed ordering instructions below:

- 1, All sizes in the pictures?
- 2, Frequency (50Hz or 60Hz)?
- 3, Low voltage;
- 4, Turns (@ low voltage)
- 5, Max. No-load core losses?

Uni-Core for S13 100kVA Distribution Dry Type Transformer

Trade Capacity


International Commercial Terms(Incoterms):	FOB, CIF, CFR
	Terms of Payment: LC, T/T
Average Lead Time:	Peak Season Lead Time: within 15 workdays, Off Season Lead Time: within 15 workdays
Number of Foreign Trading Staff:	2
	Export Year: 2014-04-01
Export Percentage:	51%~70%
Main Markets:	North America, Southeast Asia/ Mideast, Others
Nearest Port:	Shanghai
Import & Export Mode:	Have Own Export License

Partner Production Capacity

Factory Address:	Jingxin Rd 3-2#, Xibei Town, Wuxi, Jiangsu, China
R&D Capacity:	OEM, ODM
No. of R&D Staff:	Less than 5 People
No. of Production Lines:	9
Annual Output Value:	Below US\$1 Million

Company Show

Certificates ³ Items



Record Registration Form for Foreign Trade Operators



Wuxi Jiachen Power Electronics Equipment Co., Ltd.



tangliang@jc-cores.com



jc-transformer.com

No. 68, Zhounan Road, Wanshi Town, Yixing City, Jiangsu Province, China