



100kVA Uni Core Distributed Gap Three Phase Three Legs Wound Cores

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: JC
- Certification: SGS CE,UL
- Model Number: 2500kva
- Minimum Order Quantity: 200kg
- Price: consult
- Packaging Details: Export standard packaging
- Delivery Time: 5 days
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 500mt/Month




Product Specification

- Application: Power, Electronic
- Phase: Single
- Core: Shell-type Transformer
- Cooling Method: Oil-immersed Type Transformer
- Winding Type: Multi-winding Transformer
- Certification: ISO9001-2000, ISO9001
- Bus Speed: 8 GT/s
- Cache: 16 MB Intel Smart Cache
- Graphics: Intel UHD Graphics 630
- Graphics Max Dynamic Frequency: 1.2 GHz
- Graphics Video Max Memory: 64 GB
- Max Memory Size: 128 GB
- Max Turbo Frequency: 5.1 GHz
- Memory Type: DDR4-3200



More Images



Product Description

Customized 100kVA Distributed Gap Three Phase Three Legs Wound Cores

Basic Info.

Model NO.	2500kva
Usage	Single-phase Transformer, Rectifier Transformer, Combined Transformer, Power Transformer, Distribution Transformer
Frequency Characteristics	Power Frequency
Shape of Core	Wound Cores
Brand	Gausstop
Transport Package	Standard Export Package for Ocean Transportation
Specification	2500kva
Origin	China
HS Code	8504901900
Production Capacity	300mt/Month

Product Description

Introduction:

Our wound cores are widely used in distribution transformers, especially for S13 type energy-saving transformers in China; we could also provide our customers with single phase wound cores like D9, D10, D11 etc., three phase wound cores; The capacity range from 10KVA to 2500KVA; Due to its particular technology craft, its performance is better than traditional stacked cores, especially for pole-mounted single phase transformers.

Manufacturing requirements:

Tolerance: See demonstrated graphic; the specified requirements should be coincide with customers drawings;

Material: we could choose Nippon steel, Baosteel, WISCO and other steel plants products to meet customers core loss requirements; in order to make sure we choose the right material, we would like our customers to provide us with detailed

drawings including necessary technical parameters.

Detailed ordering instructions below:

- 1, All sizes in the pictures?
- 2, Frequency (50Hz or 60Hz)?
- 3, Low voltage;
- 4, Turns (@ low voltage)
- 5, Max. No-load core losses?

Introduction:

Our Uni-cores are widely used in distribution transformers, especially for S13 type energy-saving transformers in China; we could also provide our customers with single phase wound cores like D9, D10, D11 etc., three phase Uni-cores; The capacity range from 10KVA to 25000KVA; Due to its particular technology craft, its performance is better than traditional stacked cores, especially for pole-mounted single phase transformers and 3 Dimensional transformers(3D transformers).

Manufacturing requirements:

Tolerance: See demonstrated graphic; the specified requirements should be coincide with customers drawings;

Material: we could choose Nippon steel, Baosteel, WISCO and other steel plants products to meet customers core loss requirements; in order to make sure we choose the right material, we would like our customers to provide us with detailed drawings including necessary technical parameters.

Detailed ordering instructions below:

- 1, All sizes in the pictures?
- 2, Frequency (50Hz or 60Hz)?
- 3, Low voltage;
- 4, Turns (@ low voltage)
- 5, Max. No-load core losses?

Uni-Core for S13 100kVA Distribution Dry Type Transformer

Trade Capacity


International Commercial Terms(Incoterms):	FOB, CIF, CFR
Average Lead Time:	Terms of Payment: LC, T/T
Number of Foreign Trading Staff:	Peak Season Lead Time: within 15 workdays, Off Season Lead Time: within 15 workdays
Export Percentage:	2
Main Markets:	Export Year: 2014-04-01
Nearest Port:	51%~70%
Import & Export Mode:	North America, Southeast Asia/ Mideast, Others
	Shanghai
	Have Own Export License

Partner Production Capacity

Factory Address:	Jingxin Rd 3-2#, Xibei Town, Wuxi, Jiangsu, China
R&D Capacity:	OEM, ODM
No. of R&D Staff:	Less than 5 People
No. of Production Lines:	9
Annual Output Value:	Below US\$1 Million

Company Show

Certificates 3 Items



[Record Registration Form for Foreign Trade Operators](#)



Wuxi Jiachen Power Electronics Equipment Co., Ltd.



tangliang@jc-cores.com



jc-transformer.com

No. 68, Zhounan Road, Wanshi Town, Yixing City, Jiangsu Province, China