more products please visit us on jc-transformer.com

Single Station APG Clamping Machine&Mixing Device for 36kv / 24kv Sulfide Circuit Breaker, Sf6

Basic Information

• Place of Origin: • Brand Name: JC SGS CE,UL Certification: 888 Model Number: Minimum Order Quantity: 1 pcs consult Packaging Details: Wooden Delivery Time: 5 days

• Payment Terms: T/T, Western Union, MoneyGram, D/P

Supply Ability: 100pcs/month



Product Specification

. Insulating Medium: Epoxy Resin • Magnetic Circuit Structure: Combined Type Clamp Plate Size: 1000X1000mm Min Max Clamp Plate Strok: 250X1650mm Heating Power: 900*900*900 Specification: Origin: China • Production Capacity: 60000PCS/Year 36kv APG Clamping Machine Mixing Device, Highlight:

24kv APG Clamping Machine, Sf6 APG Clamping Machine




More Images











Product Description

Basic Info.

Model NO.	9087	
Installation	Active Type	
Voltage Transformation Principle	Photoelectric Type	
Principle		
Clamp Force	22t	
250X1650mm	900X400mm	
Transport Package	Wooden	
Trademark	JC	
HS Code	8514300090	
Product Description	า	

Insulating Medium	Epoxy Resin		
Magnetic Circuit	Combined Type		
Structure			
Clamp Plate Size	1000X1000mm		
Product Description			
Min Max Clamp Plate	250X1650mm		
Strok			
Heating Power	36kw		
Specification	900*900*900		
Origin	China		
Production Capacity	60000PCS/Year		

Standard APG clamping machine.

This series belongs to standard APG clamping machine, the min clamp plate size is 600*800mm, and the max clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping belongs to standard APG clamping machine, the min clamping machine and the min clamping machi

plate size is	1200*1000mm,	can meet	production	requireme	ent from 1	11-36KV,	such as	current transfo	rmer,	voltage
transformer.	insulator, bushi	na. spout.	SF6 gas-in	sulated in	door swit	ch discor	nector.	Etc.		

The upper and lower core distance can be customized , foundation pit is necessary if lower core travel distance above

Detailed Images

APG Machine with Epoxy Resin to Make Transformer and Insulator

Ithasbeen nineteen ye arsold and hasbeen developing into DMC after continuous development. S hydraulic press, epoxy resin pressure gel forming machine, full automatic Epoxy Static system and metal extrusion hydraulic press and other equipment, and can design and manufacture various kinds of special equipment

according to the needs of high-voltage electrical appliances users.

APG Machine with Epoxy Resin to Make Transformer and Insulator

APG Machine with Epoxy Resin to Make Transformer and Insulator

Packing & Delivery

APG Machine with Epoxy Resin to Make Transformer and Insulator


Basic Info.

HAPG-860-2
Epoxy Resin
Active Type
Combined Type
Photoelectric Type
1000X1000mm
22t
250X1650mm
900X400mm
36kw
Wooden
900*900*900
JC
China
8514300090
60000PCS/Year


Product Description


Stabdard APG Clamping Machine **HAPG-860/880/1**000/1200











Machine Technical Parameters

Model no	HAPG-860-2
clamp plate size	600X800mm
clamp force	22T
Min Max clamp plate strok	250X1550mm
Upper &lower core puller stroke	800X400mm
Heating power	32KW
ydraulic power pack	7.5KW
Horizontal tilting angle	0-5
mould load weight	2T
Machine weight	8800KG
Machine dimension	7500x1450X3600mm

Model No.	HAPG-880	HAPG-810	HAPG-1000	HAPG-1200
Clamp plate sise	800x800mm	1 000x800mm	1 000x 1 000mm	1200x 1 000mm
Clamp force	220KN	250KN	250KN	250KN
Min Max clamp plate stroke	240x 1 500mm	240x 1 550mm	250x 1600mm	250x 1600mm
Upper&lower core puller stroke	800x400mm	800x400mm	900x450mm	1 000x450mm
Heating power	32KW	32KW	36KW	36KW
Hydraulic power pack	7.5KW	7.5KW	7.5KW	7.5KW
ilt angle: vertically and Horizontally	0-7	0-7	0-7	0-7
Mould load weight	3Т	4T	4T	5T
Machine weight	7500KG	7800KG	8500KG	9200KG
Machine dimension	5100xl400x3700m m	5100x1400x3700m m	5100x1400x3700m m	5100Kl400x3700m m

Ithasbeen nineteen ye arsold and hasbeen developing into DMC after continuous development. S hydraulic press, epoxy resin pressure gel forming machine, full automatic Epoxy Static system and metal extrusion hydraulic press and other equipment, and can design and manufacture various kinds of special equipment according to the needs of high-voltage electrical appliances users.

Double-Station APG Clamping Machine with APG Moulds for Electrical Insulation

Double-Station APG Clamping Machine with APG Moulds for Electrical Insulation



Wuxi Jiachen Power Electronics Equipment Co., Ltd.





tangliang@jc-cores.com jc-transformer.com

