



## Epoxy Resin With APG Process Used The APG Machine With Mixer System And Insulators Moulds

Our Product Introduction

for more products please visit us on [jc-transformer.com](http://jc-transformer.com)

### Basic Information

- Place of Origin: China
- Brand Name: JC
- Certification: SGS CE,UL
- Model Number: 888
- Minimum Order Quantity: 1 pcs
- Price: consult
- Packaging Details: Wooden
- Delivery Time: 5 days
- Payment Terms: T/T, Western Union, MoneyGram, D/P
- Supply Ability: 100pcs/month



### Product Specification

- Insulating Medium: Epoxy Resin
- Magnetic Circuit Structure: Combined Type
- Clamp Plate Size: 1000X1000mm
- Min Max Clamp Plate Strok:250X1650mm
- Heating Power: 36kw
- Specification: 900\*900\*900
- Origin: China
- Production Capacity: 60000PCS/Year
- Highlight: **APG Process Epoxy Resin, Insulators Moulds Epoxy Resin, Mixer System Epoxy Resin**



### More Images



### Product Description

#### Basic Info.

Model NO.	9087
Installation	Active Type
Voltage Transformation Principle	Photoelectric Type
Clamp Force	22t
250X1650mm	900X400mm
Transport Package	Wooden
Trademark	JC
HS Code	8514300090

Insulating Medium	Epoxy Resin
Magnetic Circuit Structure	Combined Type
Clamp Plate Size	1000X1000mm
Min Max Clamp Plate Strok	250X1650mm
Heating Power	36kw
Specification	900*900*900
Origin	China
Production Capacity	60000PCS/Year

#### Product Description

Standard APG clamping machine.

Our Product Introduction

for more products please visit us on [jc-transformer.com](http://jc-transformer.com)





This series belongs to standard APG clamping machine, the min clamp plate size is 600\*800mm, and the max clamp plate size is 1200\*1000mm, can meet production requirement from 11-36KV, such as current transformer, voltage transformer, insulator, bushing, spout, SF6 gas-insulated indoor switch disconnecter, Etc.

The upper and lower core distance can be customized, foundation pit is necessary if lower core travel distance above 500mm.

### Detailed Images

APG Machine with Epoxy Resin to Make Transformer and Insulator

It has been nineteen years and has been developing into DMC after continuous development. It has hydraulic press, epoxy resin pressure gel forming machine, full automatic epoxy static system and metal extrusion hydraulic press and other equipment, and can design and manufacture various kinds of special equipment according to the needs of high-voltage electrical appliances users.

APG Machine with Epoxy Resin to Make Transformer and Insulator

### Packing & Delivery

APG Machine with Epoxy Resin to Make Transformer and Insulator

#### Basic Info.

Model NO.	HAPG-860-2
Insulating Medium	Epoxy Resin
Installation	Active Type
Magnetic Circuit Structure	Combined Type
Voltage Transformation Principle	Photoelectric Type


#### Product Description



Standard APG Clamping Machine **HAPG-860/880/1000/1200**

Clamp Plate Size	1000X1000mm
Clamp Force	22t
Min Max Clamp Plate Strok	250X1650mm
250X1650mm	900X400mm
Heating Power	36kw
Transport Package	Wooden
Specification	900*900*900
Trademark	JC
Origin	China
HS Code	8514300090
Production Capacity	60000PCS/Year



额定电压 Rated Voltage	额定电流 Rated Current	工频耐压 power Frequency Withstand Voltage
36KV	630A&	95kv





Machine Technical Parameters

Model no	HAPG-860-2
clamp plate size	600X800mm
clamp force	22T
Min Max clamp plate strok	250X1550mm
Upper &lower core puller stroke	800X400mm
Heating power	32KW
ydraulic power pack	7.5KW
Horizontal tilting angle	0-5
mould load weight	2T
Machine weight	8800KG
Machine dimension	7500x1450X3600mm

Model No.	HAPG-880	HAPG-810	HAPG-1000	HAPG-1200
Clamp plate size	800x800mm	1 000x800mm	1 000x 1 000mm	1200x 1 000mm
Clamp force	220KN	250KN	250KN	250KN
Min Max clamp plate stroke	240x 1 500mm	240x 1 550mm	250x 1600mm	250x 1600mm
Upper&lower core puller stroke	800x400mm	800x400mm	900x450mm	1 000x450mm
Heating power	32KW	32KW	36KW	36KW
Hydraulic power pack	7.5KW	7.5KW	7.5KW	7.5KW
ilt angle: vertically and Horizontally	0-7	0-7	0-7	0-7
Mould load weight	3T	4T	4T	5T
Machine weight	7500KG	7800KG	8500KG	9200KG
Machine dimension	5100x1400x3700m m	5100x1400x3700m m	5100x1400x3700m m	5100K1400x3700m m

It has been nineteen years and has been developing into DMC after continuous development. S hydraulic press, epoxy resin pressure gel forming machine, full automatic Epoxy Static system and metal extrusion hydraulic press and other equipment, and can design and manufacture various kinds of special equipment according to the needs of high-voltage electrical appliances users.

Double-Station APG Clamping Machine with APG Moulds for Electrical Insulation

Double-Station APG Clamping Machine with APG Moulds for Electrical Insulation



**Wuxi Jiachen Power Electronics Equipment Co., Ltd.**



[tangliang@jc-cores.com](mailto:tangliang@jc-cores.com)



[jc-transformer.com](http://jc-transformer.com)

No. 68, Zhounan Road, Wanshi Town, Yixing City, Jiangsu Province, China